Website: www.nitandhra.ac.in



## राष्ट्रीय प्रौद्योगिकी संस्थान - आंध्रप्रदेश NATIONAL INSTITUTE OF TECHNOLOGY ANDHRA PRADESH

Near National Highway No. 16, Kadakatla, Tadepalligudem – 534101 West Godavari District, Andhra Pradesh

Ref. No.: NITANP/SMMD/TENDER/2024-25/ 79

Date: 27.02.2025.

## **TENDER ENQUIRY**

Sub: Construction of Two Number of Sheds for Security at NITANP- Quotation invited -Regd.

Please send your lowest quotation for the above work as per the details attached in **Annexure-1**. The quotation is to be sent in a sealed envelope to the following address:

C/o Tender Box
Material Management & Disposal Section,
Sardar Vallabhbhai Patel Administrative Building
NATIONAL INSTITUTE OF TECHNOLOGY, ANDHRA PRADESH,
Near National Highway No. 16, Kadakatla,
TADEPALLIGUDEM – 534101
West Godavari District, Andhra Pradesh.

The quotation has to be sent by Post (Ordinary / Register / Speed Post) or drop in Tender Box physically. (Any other mode will not be accepted)

The envelope must be superscribed as "**QUOTATION**" at the center of the envelope and the above **reference number at left top** along with the name of the tender on the envelope. Quotations without the above superscription **will not be accepted**.

The last date to receive the sealed quotation is 20.03.2025.

## **Annexure-1**

etails	of each shed Size 6.50 m X 5.80 m		
S.No.	Description	Quantity	Unit
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:1.5:3 (1 Cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size)		
	H. safuhi mikebu 0 - SAATIM ja yimon 8 n	0.72	cum
2	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes		
	S Diagosel Section,	1104.60	kg
3	have protective guard film of 25 microns mi should be supplied in single length upto 12	nimum to avoid scratches of metre or as desired by Eng	gineer-in-charge. The
3	have protective guard film of 25 microns m	nimum to avoid scratches of metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces	during transportation an gineer-in-charge. The 55 mm) with EPDM , excluding the cost of
3	have protective guard film of 25 microns mi should be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/	nimum to avoid scratches of metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces	during transportation an gineer-in-charge. The 55 mm) with EPDM , excluding the cost of
3	have protective guard film of 25 microns mi should be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/	nimum to avoid scratches of metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces utting to size and shape who	during transportation an gineer-in-charge. The 55 mm) with EPDM , excluding the cost of erever required
tebn	have protective guard film of 25 microns mishould be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/purlins, rafters and trusses and including cut 12 mm cement plaster of mix:  1:4 (1 cement: 4 fine sand)	metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces atting to size and shape who 98.00	during transportation and gineer-in-charge. The 55 mm) with EPDM, excluding the cost of erever required  sqm
4	have protective guard film of 25 microns mishould be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/purlins, rafters and trusses and including cut 12 mm cement plaster of mix:	metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces atting to size and shape where the size and size	during transportation and gineer-in-charge. The 55 mm) with EPDM, excluding the cost of erever required  sqm  Sqm  Cless than 50 gm/litre art resistance exterior
nebn	have protective guard film of 25 microns mishould be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/purlins, rafters and trusses and including culture 12 mm cement plaster of mix:  1:4 (1 cement: 4 fine sand)  Finishing walls with 100% Premium acrylic and UV resistance as per IS 15489:2004, Apaint of required shade (Company Depot T	metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces atting to size and shape who shall be size and shall be	during transportation an gineer-in-charge. The 55 mm) with EPDM, excluding the cost of erever required  sqm  sqm  less than 50 gm/litre art resistance exterior
4	have protective guard film of 25 microns mishould be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/purlins, rafters and trusses and including culture.  12 mm cement plaster of mix: 1:4 (1 cement: 4 fine sand)  Finishing walls with 100% Premium acrylic and UV resistance as per IS 15489:2004, A paint of required shade (Company Depot Townson New work (Two or more coats applied @ 1 exterior primer applied @ 0.90 litre/10 sqm.	metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces atting to size and shape who size and shape w	during transportation and gineer-in-charge. The 55 mm) with EPDM, excluding the cost of erever required  sqm  sqm  cless than 50 gm/litre art resistance exterior including priming coat of sqm
4	have protective guard film of 25 microns mishould be supplied in single length upto 12 sheet shall be fixed using self drilling /self t seal, complete upto any pitch in horizontal/purlins, rafters and trusses and including culture 12 mm cement plaster of mix:  1:4 (1 cement: 4 fine sand)  Finishing walls with 100% Premium acrylic and UV resistance as per IS 15489:2004, A paint of required shade (Company Depot Town work (Two or more coats applied @ 1.	metre or as desired by Engapping screws of size (5.5x vertical or curved surfaces atting to size and shape who size and shape w	during transportation and gineer-in-charge. The 55 mm) with EPDM, excluding the cost of erever required  sqm  sqm  cless than 50 gm/litre art resistance exterior including priming coat of sqm

## Note:

Bidder must have any one of the below registration certificates.

- 1.CPWD class v Civil (or) above.
- 2.Any State Government PWD class v Civil (or) above.



While sending your lowest quotation – please specify the following:

1. Sales Tax

: Inclusive

**GST** 

: Indicate prevailing tax on percentage basis.

- 2. Excise Duty
- 3. Rates
  - a) F.O.R. Destination/
  - b) Estimated Packing, Forwarding and Freight Charges in case of Ex-works only, may be mentioned on percentage basis
- 4. Insurance

: Inclusive/ indicate on percentage basis, in case payable by the Institute.

- 5. Preferred terms of payment (institute rules permit to pay on Receipt of materials in good condition/completion of the
- 6. Recommended mode of transport
- 7. Discount offered, if any
- 8. Validity of the offer
- 9. Firm schedule of completion of work :
- 10. Detailed drawings / catalogues / Leaflets / literature / samples may be furnished wherever feasible / required.
- 11. Please indicate clearly whether the rates quoted herein are the same as applicable to DGS & D / Government Department / Other Public Sector Undertakings.
- 12. The supplier shall invariably furnish the Certificate of Clearance of GST Registration number along with the quotations.
- 13. The quotation should not contain any handwritten text except the Price quoted.
- 14. All the Submitted documents must be duly signed by the bidder along with the firm's seal.
- 15. Please mention the Quotation number and name of the item/s (in brief) on your envelope when submitting your quotation to the Institute
- 16. Please note that the Director reserves the right to modify or alter the specifications and also to reject any or all the Quotations without assigning any reasons thereto.

ite of

- 17. The suppliers / firms are informed not to call on us without prior appointment.
- 18. The Institute is not responsible for delays / loss in postal transit or due to any other reasons.
- 19. Any Violation in the terms and conditions, the bidder will be made ineligible for the contract.

Yours faithfully,

**CENTRAL STORES & PURCHASE SECTION** 

NIT Andhra Pradesh