

## राष्ट्रीय प्रौद्योगिकी संस्थान - आंध्रप्रदेश

## NATIONAL INSTITUTE OF TECHNOLOGY ANDHRA PRADESH

Near National Highway No. 16, Kadakatla, Tadepalligudem – 534101 West Godavari District, Andhra Pradesh

Ref. No.: NITANP/SMMD/TENDER/2024-25/

Date: 04.03.2025

## **TENDER ENQUIRY**

<u>Sub: Providing and fixing the false ceiling on the fourth floor of the administrative building at NIT Andhra Pradesh- Quotation invited –Regd.</u>

Please send your lowest quotation for the above work as per the details attached in **Annexure-1**. The quotation is to be sent in a sealed envelope to the following address:

C/o Tender Box
Material Management & Disposal Section,
Sardar Vallabhbhai Patel Administrative Building
NATIONAL INSTITUTE OF TECHNOLOGY, ANDHRA PRADESH,
Near National Highway No. 16, Kadakatla,
TADEPALLIGUDEM – 534101
West Godavari District, Andhra Pradesh.

The quotation has to be sent by Post (Ordinary / Register / Speed Post) or drop in Tender Box physically. (Any other mode will not be accepted)

The envelope must be superscribed as "QUOTATION" at the center of the envelope and the above <u>reference number at left top</u> along with the name of the tender on the envelope. Quotations without the above superscription <u>will not be accepted</u>.

The last date to receive the sealed quotation is 26.03.2025

## Annexure-1

Name of the Work: Providing and fixing the false ceiling on the fourth floor of the administrative building at NIT Andhra Pradesh

S NO	DESCRIPTION OF ITEMS	UNITS	QUANTITY
1	Providing and fixing mineral fibre false ceiling tiles at all heights of size595X595mm of approved texture, design and pattern. The tiles should have Humidity Resistance (RH) of 99%, Light Reflectance? 85%, Thermal Conductivity k = 0.052 - 0.057 w/m K, Fire Performance as per (BS 476 pt - 6 &7)in true horizontal level suspended on interlockingT-Grid of hot dipped all round galvanized iron section of 0.33 mm thick (galvanized @120 gsm) comprising of main T runners of 15x32 mm of length 3000 mm, cross T of size 15x32mm of length 1200 mm and secondary intermediate cross T of size 15x32 mm of length 600 mm to form grid module of size 600x600 mm suspended from ceiling using galvanized mild steel item (galvanised@80gsm) 50 mm long 8mm outer diameter M-6 dash fasteners, 6 mm diameter fully threaded hanger rod up to 1000 mm length and L-shape level adjuster of size 85x25x2 mm, spaced at 1200 mm centre to centre along main 'T'. The system should rest on periphery walls /partitions with the help of GI perimeter wall angle of size24x24X3000 mm made of 0.40 mm thick sheet, to be fixed to the wall with help of plastic rawl plug at 450 mm centre to centre & 40 mm long dry wall S.S. screws. The exposed bottom portion of all T-sections used in false ceiling support system shall be pre-painted with polyester baked paint, for all heights. The work shall be carried out as per specifications, drawings and as per directions of the engineer-in-charge.		
	With 16 mm thick beveled tegular mineral fibre false ceiling tile (NRC 0.55 to 0.6	sqm	70
2	Providing & fixing false ceiling at all heights with GRG (Glass Fibre Reinforced Gypsum) false ceiling tiles of Size 595x595 mm of approved texture, design and patterns having moisture content less than 2%, humidity resistance of 99%, NRC 0.50 to 0.75 as per IS 8225:1987,Non combustible as per BS 476 (part 4)-1970 and light reflectance of 85% (minimum) to be laid in true horizontal level suspended on interlocking metal T-Grid of hot dipped galvanised iron section of 0.33mm thick (galvanized @ 120 grams per sqm including both sides) comprising of main-T runners of size 15x32 mm of length 3000 mm, cross - T of size 15x32 mm of length 1200 mm and secondary intermediate cross-T of size 15x32 mm of length 600mm to form grid module of size 600 x 600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 50 mm long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 85x25x2 mm. Galvanised iron perimeter wall angle of size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall / partition with the help of plastic rawl plugs at 450 mm center to center and 40 mm long dry wall wood screws. The work shall be carried out as perspecifications, drawing and as per directions of the Engineer-in-Charge	and out see and mure one are mu	analitana en analitan susa itus enamalou
	With semi perforated 12 mm thick micro tegular edged GRG false ceiling tiles.	sqm	45

Note: Bidder must have any one of the below registration certificates

- a. CPWD class V civil or above
- b. Any state government PWD class V civil or above

ile sending your lowest quotation - please specify the following:

1. Sales Tax

**GST** 

: Indicate prevailing tax on percentage basis.

- 2. Excise Duty
- 3. Rates
  - a) F.O.R. Destination/
  - b) Estimated Packing, Forwarding and Freight Charges in case of Ex-works only, may be mentioned on percentage basis.
- : Inclusive/ indicate on percentage basis, in case payable by the Institute.
- 5. Preferred terms of payment (institute rules permit to pay on Receipt of materials in good condition/completion of the work):
- 6. Recommended mode of transport
- 7. Discount offered, if any
- 8. Validity of the offer
- 9. Firm schedule of completion of work
- 10. Detailed drawings / catalogues / Leaflets / literature / samples may be furnished wherever feasible / required.
- 11. Please indicate clearly whether the rates quoted herein are the same as applicable to DGS & D / Government Department / Other Public Sector Undertakings.
- 12. The supplier shall invariably furnish the Certificate of Clearance of GST Registration number along with the quotations.
- 13. The quotation should not contain any handwritten text except the Price quoted.
- 14. All the Submitted documents must be duly signed by the bidder along with the firm's seal.
- 15. Please mention the Quotation number and name of the item/s (in brief) on your envelope when submitting your quotation to the Institute
- 16. Please note that the Director reserves the right to modify or alter the specifications and also to reject any or all the Quotations without assigning any reasons thereto.
- 17. The suppliers / firms are informed not to call on us without prior appointment.
- 18. The Institute is not responsible for delays / loss in postal transit or due to any other reasons.
- 19. Any Violation in the terms and conditions, the bidder will be made ineligible for the contract.

Yours faithfully,

सह अधिष्ठाता / Associate Dean CENTRAL STORES & PURCHASE SECTION NIT Andhra Pradesh

mediana summa Phaling of Salabas and Salab