

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-08-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	24-08-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	Tadepalligudem
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :head_gem@nitandhra.ac.in Buyer Email id: buyer_gem@nitandhra.ac.in
कुल मात्रा/Total Quantity	1759
वस्तु श्रेणी /Item Category	63mm PVC Pipes 20Feet , 63mm PVC Clamps , 63mm PVC Endcaps , 63mm PVC 90 Degree Elbow , 63mm PVC Socket , 75mm PVC Clamps , PVC SOLVENT 100ml , UPVC SOLVENT 100ml , 3 by 4 inch CPVC Pipe Class 1 Hot Water 3Mtrs , 3by4 inch CPVC Clamp , 3by4inch x 1 1by4inch CPVC Reducer , 1 1by4inch CPVC Socket , 1 1by2 x 1inch CPVC bush , 1inch x 3by4inch CPVC Reducer , 1inch x 1 1by2inch CPVC Reducer , 2inch GI Flange 50mm , 3inch GI Flange , Glass Putty 1kg , Urinal Clamp Set Heavy , 3by4inch Form Knobs ss inner Thread , Wall Mixer Lever left Right FLR CHR 5217N , solinoid valve , Wall Commode seats U shape Cover clamp sets , Anti Rust Spray 60 Grams , Float Valve Switch Assembly for Water Tanks Automatic On and Off Control for 220V AC and 24V DC Systems , Commode Seat Cover , Health Faucet guns ALD CHR 565 , Health Faucet inner nylon connection 1m , Wall commode seat 110mm rubber vouchers , White Cement 1 kg , Concealed Stopcock Spindle , Water Cooler Adjustable ABS Ball Cock Float Valve 1by2inch with 75mm PVC Round Ball , 3by4inch x 1by2inch Brass CPVC T Bend , 1inch CPVC Tank Nipples , PVC Flush Tank Clamps , Wall commode seat U shape Anchor bolts and Fishers , Urinal Sink

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	63mm PVC Pipes 20Feet, 63mm PVC Clamps, 63mm PVC Endcaps, 63mm PVC 90 Degree Elbow, 63mm PVC Socket, 75mm PVC Clamps, PVC SOLVENT 100ml, UPVC SOLVENT 100ml, 3 by 4 inch CPVC Pipe Class 1 Hot Water 3Mtrs, 3by4 inch CPVC Clamp , 3by4'inch x 1 1by4inch CPVC Reducer, 1 1by4inch CPVC Socket, 1 1by2 x 1inch CPVC bush, 1inch x 3by4inch CPVC Reducer, 1inch x 1 1by2inch CPVC Reducer, 2inch GI Flange 50mm, 3inch GI Flange, Glass Putty 1kg, Urinal Clamp Set Heavy, 3by4inch Form Knobs ss inner Thread, Wall Mixer Lever left Right FLR CHR 5217N, solinoid valve, Wall Commode seats U shape Cover clamp sets, Anti Rust Spray 60 Grams, Float Valve Switch Assembly for Water Tanks Automatic On and Off , Commode Seat Cover, Health Faucet guns ALD CHR 565, Health Faucet inner nylon connection 1m, Wall commode seat 110mm rubber vouchers, White Cement 1 kg, Concealed Stopcock Spindle, Water Cooler Adjustable ABS Ball Cock Float Valve , 3by4inch x 1by2inch Brass CPVC T Bend, 1inch CPVC Tank Nipples, PVC Flush Tank Clamps, Wall commode seat U shape Anchor bolts and Fishers, Urinal Sink
	Searched String: 63mm PVC Pipes 20Feet Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipes for Gardening Purposes (V2), Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Connector Pipes for Washbasins/ Sinks/ Geyser, Pipe Clamps (V2), patient care mattresses Searched String: 63mm PVC Clamps Surgical Clamps, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Three Finger Clamps, High Pressure Fire Fighting Hose - IS 14933, Substation Clamps / Connectors, Pipe Clamps (V2), Hydrants (Landing Valve) as per IS 5290, PVC gitti, Dry Erase Writing Boards (V3), C Clamps as per IS 9181 Searched String: 63mm PVC Endcaps PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Sheet (V2), High Pressure Fire Fighting Hose - IS 14933, PVC Reducer Socket, PVC End Cap, Hydrants (Landing Valve) as per IS 5290, PVC Strip Curtain, Dry Erase Writing Boards (V3), PVC Card Printers Searched String: 63mm PVC 90 Degree Elbow Elbow, Equal, 135 Degrees conforming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi

बिड विवरण / Bid Details	Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, petri plates or dishes, Speed Breaker (V2)
	Searched String: 63mm PVC Socket PVC Reducer Socket, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Impact socket, Deep Socket, IC SOCKET, Dry Erase Writing Boards (V3), Insulated socket, High Pressure Fire Fighting Hose - IS 14933 Searched String: 75mm PVC Clamps Surgical Clamps, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Three Finger Clamps, Pipe Clamps (V2), Substation Clamps / Connectors, Dry Erase Writing Boards (V3), PVC gitti, C Clamps as per IS 9181, Pin Up Notice Board (V2), PVC Sheet (V2) Searched String: PVC SOLVENT 100ml Solvent Cleaner, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Solvent Removable Penetrant, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Solvent Cleaner (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Solvent Based Developer, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC gitti Searched String: UPVC SOLVENT 100ml Commercial UPVC Fittings, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Commercial UPVC Pipes, UPVC (Unplasticized Polyvinyl Chloride) Window, Solvent Cleaner, Cotton Towelling And Towels Conforming To IS 7056 (V4), Solvent Removable Penetrant, Shaker Incubator, Solvent Cleaner (V2), Sterile Hypodermic Syringe (V3) Searched String: 3 by 4 inch CPVC Pipe Class 1 Hot Water 3Mtrs PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Cardiopulmonary Bypass Connectors (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, CPVC Ball Valve, Hand Operated Hydraulic Pipe Bender, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, CPVC Industrial Pipe Fittings, Schedule 80

बिड विवरण / Bid Details	Searched String: 3by4 inch CPVC Clamp
	Interactive Panels with CPU, CPVC Industrial Pipe Fittings, Schedule 80, true rms clamp meter, CPVC Industrial Pipe, CPVC Ball Valve, Cardiopulmonary Bypass Connectors (V2), Taflon Tape as per IS 14635, General Purpose Ball Valves (V2), Grinding Wheel (V2), Cordless Brushless Impact Wrench (ONGC) Searched String: 3by4'inch x 1 1by4inch CPVC Reducer Interactive Panels with CPU, CPVC Industrial Pipe Fittings, Schedule 80, Cotton Towelling And Towels Conforming To IS 7056 (V4), File/Folder (V3), Towel Hand Cotton Turkish (IAF), Laminar air flow cabinets or stations, Crepe Bandage Conforming to IS 4605, Cotton Towelling And Towels (V3) Conforming To IS 7056, Parallel Bar - Outdoor Gym Equipment, Correspondence Envelopes (V3) Conforming to IS 13892 Searched String: 1 1by4inch CPVC Socket Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Nitrile Coated/Nitrile Hand Gloves (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Multipara Monitor - Low End, BOD Incubator, High End Desktop Computer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Lyophilizer, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Towel Hand Cotton Turkish (IAF) Searched String: 1 1by2 x 1inch CPVC bush Nitrile Coated/Nitrile Hand Gloves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Multipara Monitor - Low End, CPVC Ball Valve, BOD Incubator, High End Desktop Computer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Lyophilizer, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Towel Hand Cotton Turkish (IAF) Searched String: 1inch x 3by4inch CPVC Reducer Interactive Panels with CPU, CPVC Industrial Pipe Fittings, Schedule 80, Cotton Towelling And Towels Conforming To IS 7056 (V4), File/Folder (V3), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Towel Hand Cotton Turkish (IAF), Laminar air flow cabinets or stations, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Crepe Bandage Conforming to IS 4605, Parallel Bar - Outdoor Gym Equipment Searched String: 1inch x 1 1by2inch CPVC Reducer Nitrile Coated/Nitrile Hand Gloves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Multipara Monitor - Low End, BOD Incubator, High End Desktop Computer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Lyophilizer, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Towel Hand Cotton Turkish (IAF), Mobile Storage Compactors Searched String: 2inch GI Flange 50mm XLPE Cable for Working Voltage up to and Including 1.1 KV
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण / Bid Details	Marked To IS 7098 (Part 1), Flange type industrial air filters, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Commercial PPR Pipes Fittings as per IS 15801, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Kho Kho Pole (V2), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bunk Beds conforming to IS 17636 Searched String: 3inch GI Flange Blind flange, High End Desktop Computer, Rigid GI Pipe (BHEL), Flange type industrial air filters, GI Grating (in Number), Entry and Mid Level Desktop Computer, GI Grating (in MT), Vinyl Tape, Interactive Panels with CPU, Stainless Steel ANSI B16.5 Flange Searched String: Glass Putty 1kg Metal Putty, Nitrile Coated/Nitrile Hand Gloves (V2), Titanium Putty, Tartaric Acid - IS 880, Lapi Patra (Putty Applicator), Multipara Monitor - Low End, Putty for use on Window Frames as per IS 419, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), White Cement Based Polymeric Putty as per IS 17545, BOD Incubator Searched String: Urinal Clamp Set Heavy Files & Drills Set(ONGC), Dystocia Set, Stud Remover & Installer with Screwdriver tool Set(ONGC), Distance Vision Testing Drum (V2) - RBSK Searched String: 3by4inch Form Knobs ss inner Thread Category not available on GeM for the text string uploaded by the buyer Searched String: Wall Mixer Lever left Right FLR CHR 5217N Category not available on GeM for the text string uploaded by the buyer Searched String: solinoid valve Needle Valve, Sequence valve, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Solenoid Valve (V3), Directional Control Valve, General Purpose Ball Valves (V2), Liquid Offtake Valve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Thermostatic expansion valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 Searched String: Wall Commode seats U shape Cover clamp sets Toilet Seat Covers (V2) Searched String: Anti Rust Spray 60 Grams Rust Release penetrate spray, Automated tissue processor, Anti spatter spray, LCR Meter, anti set off spray powder, Rust Remover Solution, DAFC-60% (Glycol Based Antifreeze Coolant) -Defence, Anti TB Drugs - Linezolid 600 mg
-------------------------	---

विड विवरण / Bid Details	Tablets, Hydraulically Regulated Door Closers conforming to IS 3564
	Searched String: Float Valve Switch Assembly for Water Tanks Automatic On and Off Portable UV Disinfection Box for smart phone and accessories Searched String: Commode Seat Cover Disposable Toilet Seat Cover, Toilet Seat Covers (V2), Auditorium Chair (V2), Disposable Sheet Cover for Car Seat, Disposable Vehicle Seat Covers, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Car Accessories, Pin Up Notice Board (V2), Toilet Seat Band, Seat Cushioned Foam Searched String: Health Faucet guns ALD CHR 565 Category not available on GeM for the text string uploaded by the buyer Searched String: Health Faucet inner nylon connection 1m Nylon washer Searched String: Wall commode seat 110mm rubber vouchers Swing (Preschool Kit) Searched String: White Cement 1 kg White Cement Based Polymeric Putty as per IS 17545, Electronic Weighing Scales, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Automatic Fire Ball for Fire - Extinguishing, Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 Part 1 for Bulk Buying, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Combination Board (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Writing and Printing Papers Conforming to IS 1848 (Part 1) Searched String: Concealed Stopcock Spindle Glass Column with Stopcock, Three Way Stopcocks, Oil Spindle as per IS: 493, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, General Purpose Machinery and Spindle Oils, Laboratory Glass Adapters, Mounted Point Stone Wheel with Spindle, VMC Machine (V1), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Internal Micrometer as per IS 2966 Searched String: Water Cooler Adjustable ABS Ball Cock Float Valve Category not available on GeM for the text string uploaded by the buyer Searched String: 3by4inch x 1by2inch Brass CPVC T Bend CPVC Industrial Pipe Fittings, Schedule 80, Cotton Towelling And Towels Conforming To IS 7056 (V4), Gas burners, Laminar air flow cabinets or stations, Towel Hand Cotton Turkish (IAF), Correspondence Envelopes (V3) Conforming

बिड विवरण / Bid Details	to IS 13892, CPVC Ball Valve, Cardiopulmonary Bypass Connectors (V2), Built up Trucks (V3), Portable Toilet
	Searched String: 1inch CPVC Tank Nipples Portable Toilet, CPVC Industrial Pipe Fittings, Schedule 80, CPVC Ball Valve, CPVC Industrial Pipe, Environmental Chamber, Accelerated Curing Tank, Vacuum Pump, Sewage / Effluent Treatment Plant, Truck Mounted Suction Machine (V2), Modular Toilet Searched String: PVC Flush Tank Clamps Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Canvas Water Tank Searched String: Wall commode seat U shape Anchor bolts and Fishers Category not available on GeM for the text string uploaded by the buyer Searched String: Urinal Sink Extruded Heat Sink, Urine Collection Bag - Sterile (Single Use), Patient Urinal (V2), FRP Urinal Cabin, Sinks, Urinal Sensor Flusher, FRP Urinal Cabin (V2), Waterless and Odourless Urinal, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Urinal Bowls as per IS 2556 (Part 6)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1) • Unplsticized PVC Pipes for Water Supply conforming to IS 4985
बीओक्यू शीर्षक / BOQ Title	SUPPLY OF PLUMBING MATERIAL
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	5 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	40 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	1 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	63mm PVC Pipes 20Feet
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as

indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

63mm PVC Pipes 20Feet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

63mm PVC Clamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

63mm PVC Endcaps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	8	30

63mm PVC 90 Degree Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

63mm PVC Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

75mm PVC Clamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

PVC SOLVENT 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

UPVC SOLVENT 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	24	30

3 By 4 Inch CPVC Pipe Class 1 Hot Water 3Mtrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

3by4 Inch CPVC Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	150	30

3by4inch X 1 1by4inch CPVC Reducer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

1 1by4inch CPVC Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

1 1by2 X 1inch CPVC Bush

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

1inch X 3by4inch CPVC Reducer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

1inch X 1 1by2inch CPVC Reducer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

2inch GI Flange 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

3inch GI Flange

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

Glass Putty 1kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

Urinal Clamp Set Heavy

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	225	30

3by4inch Form Knobs Ss Inner Thread

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	150	30

Wall Mixer Lever Left Right FLR CHR 5217N

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	75	30

Solifold Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	150	30

Wall Commode Seats U Shape Cover Clamp Sets

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	225	30

Anti Rust Spray 60 Grams

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

Float Valve Switch Assembly For Water Tanks Automatic On And Off Control For 220V AC And 24V DC Systems

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	8	30

Commode Seat Cover

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

Health Faucet Guns ALD CHR 565

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	75	30

Health Faucet Inner Nylon Connection 1m

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

Wall Commode Seat 110mm Rubber Vouchers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

White Cement 1 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	15	30

Concealed Stopcock Spindle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

Water Cooler Adjustable ABS Ball Cock Float Valve 1by2inch With 75mm PVC Round Ball

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	27	30

3by4inch X 1by2inch Brass CPVC T Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	23	30

1inch CPVC Tank Nipples

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	19	30

PVC Flush Tank Clamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	75	30

Wall Commode Seat U Shape Anchor Bolts And Fishers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	38	30

Urinal Sink

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	20	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of

any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

11. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc. **Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc.

12. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

13. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Experience Criteria: The bidder must have a minimum of one year of experience in manufacturing or supplying the same or similar category products to any institute/organization, as on the last date for submission of bids. A copy of the purchase order must be attached along with the bid.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.

7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में

भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---