

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-10-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-10-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	Tadepalligudem
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :head_gem@nitandhra.ac.in Buyer Email id: buyer_gem@nitandhra.ac.in
कुल मात्रा/Total Quantity	113
वस्तु श्रेणी /Item Category	50 MM Water Flow Meter , 40 MM Water Flow Meter , 32 MM Water Flow Meter , 20 MM Water Flow Meter , 50 MM UPVC Pipe , 40 MM UPVC Pipe , 32 MM UPVC Pipe , 20 MM UPVC Pipe , 50 MM UPVC MTA , 40 MM UPVC MTA , 32 MM UPVC MTA , 20 MM UPVC MTA , 50 MM UPVC Union , 40 MM UPVC Union , 32 MM UPVC Union , 20 MM UPVC Union , 40 MM CPVC MTA , 20 MM CPVC MTA , 40 MM CPVC Union , 20 MM CPVC Union , UPVC Gum Bottle , CPVC Gum Bottle , Hexa Blade , Teflon Tapes
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	50 MM Water Flow Meter, 40 MM Water Flow Meter, 32 MM Water Flow Meter, 20 MM Water Flow Meter, 50 MM UPVC Pipe , 40 MM UPVC Pipe, 32 MM UPVC Pipe, 20 MM UPVC Pipe , 50 MM UPVC MTA , 40 MM UPVC MTA, 32 MM UPVC MTA , 20 MM UPVC MTA , 50 MM UPVC Union , 40 MM UPVC Union , 32 MM UPVC Union , 20 MM UPVC Union , 40 MM CPVC MTA, 20 MM CPVC MTA, 40 MM CPVC Union , 20 MM CPVC Union , UPVC Gum Bottle , CPVC Gum Bottle , Hexa Blade , Teflon Tapes
	Searched String: 50 MM Water Flow Meter Oxygen Flow Meter, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Turbine Flow Meter, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Vortex Flow meter, Digital pH Meter, Flow Meter(BHEL), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Coriolis Mass Flow Meter, Bathroom Water Shower (V2)

बिड विवरण/Bid Details	Searched String: 40 MM Water Flow Meter
	Oxygen Flow Meter, Bathroom Water Shower (V2), Turbine Flow Meter, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Vortex Flow meter, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Flow Meter(BHEL), Water Meters (Domestic Type) (V1) as per IS 779, Coriolis Mass Flow Meter, Laminar air flow cabinets or stations (V2) Searched String: 32 MM Water Flow Meter Oxygen Flow Meter, Bathroom Water Shower (V2), Turbine Flow Meter, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Vortex Flow meter, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Flow Meter(BHEL), Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Coriolis Mass Flow Meter, Laminar air flow cabinets or stations (V2) Searched String: 20 MM Water Flow Meter Oxygen Flow Meter, Bathroom Water Shower (V2), Turbine Flow Meter, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Vortex Flow meter, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Flow Meter(BHEL), Laminar air flow cabinets or stations (V2), Coriolis Mass Flow Meter, Water Quality Meters / Analyzers Searched String: 50 MM UPVC Pipe Commercial UPVC Fittings, modular electrical enclosure switch board boxes for modular type accessories, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cast Iron Bench, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Parallel Bar - Outdoor Gym Equipment, Polyethylene Pipes for Water Supply conforming to IS 4984 Searched String: 40 MM UPVC Pipe Commercial UPVC Fittings, Parallel Bar - Outdoor Gym Equipment, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, General Purpose Pipe Wrench (V2) as per IS 4003, Polyethylene Pipes for Water Supply conforming to IS 4984, Heavy Duty Pipe Wrench (V2) As Per Is 4003, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801, Heavy Duty Pipe Wrench as per IS 4003, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: 32 MM UPVC Pipe

बिड विवरण / Bid Details	Commercial UPVC Fittings, Parallel Bar - Outdoor Gym Equipment, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Commercial PPR Pipes Fittings as per IS 15801, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, rubber bands, Connector Pipes for Washbasins/ Sinks/ Geyser
	Searched String: 20 MM UPVC Pipe Commercial UPVC Fittings, Parallel Bar - Outdoor Gym Equipment, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Non Sparking Pipe Wrench (V2), Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Mild Steel Sheet, Commercial PPR Pipes Fittings as per IS 15801, Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097 Searched String: 50 MM UPVC MTA Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, modular electrical enclosure switch board boxes for modular type accessories, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial UPVC Fittings, Cast Iron Bench, Speed Breaker (V3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Grain Storage Bin (V2), Compostable Nursery Bags Searched String: 40 MM UPVC MTA Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Commercial UPVC Fittings, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Kidney Trays Conforming to IS 3992, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Theft Proof Rifle Racks Searched String: 32 MM UPVC MTA Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, rubber bands, Commercial UPVC Fittings, Waste Fittings for Washbasin and Sinks as per IS 2963, Flexible Drain Hoses for Wash Basins/ Sinks, Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Polyethylene Pipes for Water Supply conforming to IS 4984, Commercial PPR Pipes Fittings as per IS 15801

बिड विवरण / Bid Details	Searched String: 20 MM UPVC MTA
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Mild Steel Sheet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Memory Card Reader (V2), Commercial UPVC Fittings, Endotracheal Tube - Sterile (Single Use), LED Batten, Theft Proof Rifle Racks, Centrifuge Tubes (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: 50 MM UPVC Union Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, modular electrical enclosure switch board boxes for modular type accessories, Commercial PPR Pipes Fittings as per IS 15801, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Cast Iron Bench, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Speed Breaker (V3), Commercial UPVC Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985
	Searched String: 40 MM UPVC Union Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial UPVC Fittings, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Kidney Trays Conforming to IS 3992
	Searched String: 32 MM UPVC Union Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, rubber bands, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Waste Fittings for Washbasin and Sinks as per IS 2963, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Flexible Drain Hoses for Wash Basins/ Sinks, Commercial UPVC Fittings, Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: 20 MM UPVC Union Mild Steel Sheet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Memory Card Reader (V2), Commercial UPVC Fittings, Endotracheal Tube - Sterile (Single Use), LED Batten, Theft Proof Rifle Racks, Centrifuge Tubes (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

बिड विवरण/Bid Details	Searched String: 40 MM CPVC MTA
	PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, CPVC Industrial Pipe, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Kidney Trays Conforming to IS 3992, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Theft Proof Rifle Racks, Drilling Machine Bench Type / Pillar Type as per IS 2425 Searched String: 20 MM CPVC MTA Mild Steel Sheet, Endotracheal Tube - Sterile (Single Use), Memory Card Reader (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, LED Batten, Theft Proof Rifle Racks, Centrifuge Tubes (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Markers and Highlighters Searched String: 40 MM CPVC Union PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Kidney Trays Conforming to IS 3992, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Theft Proof Rifle Racks Searched String: 20 MM CPVC Union Mild Steel Sheet, Endotracheal Tube - Sterile (Single Use), Memory Card Reader (V2), CPVC Industrial Pipe Fittings, Schedule 80, LED Batten, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Theft Proof Rifle Racks, Centrifuge Tubes (V3), Drilling Machine Bench Type / Pillar Type as per IS 2425, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 Searched String: UPVC Gum Bottle Commercial UPVC Fittings, Bottle for Chemical Laboratory, Guar Gum - Oil, UPVC (Unplasticized Polyvinyl Chloride) Window, Two way UPVC Outlet Valve, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Bottle Stand, Bottle top dispenser, Capsule Bottle Searched String: CPVC Gum Bottle

बिड विवरण / Bid Details	CPVC Ball Valve, Bottle for Chemical Laboratory, CPVC Industrial Pipe, Guar Gum - Oil, Laboratory Glassware
	Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Bottle Stand, CPVC Industrial Pipe Fittings, Schedule 80, Capsule Bottle, Bottle top dispenser, Polyethylene Terephthalate (PET) Bottle Searched String: Hexa Blade JigSaw Blade, Band saw blade, Unmanned Aerial Vehicle / Drones for Agricultural Purposes (V3), SHEARING MACHINE BLADE, Blade Server (V2), High Level Medical Device Disinfectant, Stainless Steel Safety Razor Blades (V2) Conforming to IS 7371, Blade Fuses-IS:13703, Band Saw Blade (V2), Jig Saw Blade (V2) Searched String: Teflon Tapes Teflon hose, Elastic Surgical Adhesive Tapes (V2), Polyimide Tapes, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Teflon Beaker with Lid, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Kraft Paper Tapes-IS :4185, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Nylon Tape, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Alumino - Ferric (V2) Conforming to IS 299
बीओक्यू शीर्षक / BOQ Title	SUPPLY INSTALLATION TESTING AND COMMISSIONING OF WATER FLOW METERS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	2.5 Lakh (s)
टर्नओवर पात्रता मानदंड/ Turnover eligibility criteria	GeM verified turnover
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	50 MM Water Flow Meter
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned

Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

50 MM Water Flow Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	11	30

40 MM Water Flow Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	1	30

32 MM Water Flow Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	1	30

20 MM Water Flow Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	4	30

50 MM UPVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	1	30

40 MM UPVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	1	30

32 MM UPVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

20 MM UPVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	1	30

50 MM UPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

40 MM UPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	8	30

32 MM UPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

20 MM UPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	6	30

50 MM UPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

40 MM UPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	8	30

32 MM UPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

20 MM UPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	6	30

40 MM CPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	5	30

20 MM CPVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

40 MM CPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	10	30

20 MM CPVC Union

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	2	30

UPVC Gum Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	4	30

CPVC Gum Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	6	30

Hexa Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	6	30

Teflon Tapes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tejavathu Ramesh	534101,GEM CELL, Office of Director, NIT Andhra Pradesh, Tadepalligudem-534101, West Godavari District, A. P.	20	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

4. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

6. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The

Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---