




राष्ट्रीय प्रौद्योगिकी संस्थान आंध्रप्रदेश
NATIONAL INSTITUTE OF TECHNOLOGY ANDHRA PRADESH
Near National Highway No. 216A, Kadakatla, Tadepalligudem – 534101
West Godavari District, Andhra Pradesh, India



Ref. No.: NITANP/SMMD/TENDER/2026-27/24

Date: 03.09.2026

TENDER ENQUIRY

Sub: Renovation of Shed for Biotechnology Department Near C.V Raman Lab Complex,
Size: 30x7.60m at NIT Andhra Pradesh - Quotation invited –Req.

Please send your lowest quotation for the above work/supply as per the specifications/ requirements mentioned in **Annexure-1**. The lowest quotation must be submitted **ON FIRM LETTER HEAD** in the given format (**Annexure-1 along with necessary documents as specified and duly abiding to the important instructions**), failing which bid shall be treated as Unresponsive. The quotation is to be sent in a sealed envelope to the following address:

C/o Tender Box
Material Management & Disposal Section (006, Ground Floor)
Sardar Vallabhbhai Patel Administrative Building
National Institute of Technology Andhra Pradesh,
Near National Highway No. 216A, Kadakatla,
Tadepalligudem – 534101
West Godavari District, Andhra Pradesh.

The quotation has to be sent by Post (Ordinary / Register / Speed Post) or drop in Tender Box physically. (Any other mode will not be accepted)

The envelope must be superscribed as “**QUOTATION**” at the center of the envelope and the above **reference number at left top** along with the **Subject of the tender** on the envelope.

Please note that, the bid envelope received without the above-mentioned superscription **shall be treated as UNRESPONSIVE.**

The last date to receive the sealed envelope with quotation is 23.09.2026

Annexure-A

Name of the Item/Work: Renovation of Shed for Biotechnology Department Near C.V Raman Lab Complex, Size: 30x7.60m at NIT Andhra Pradesh.

S. No	Description of Work	Qty	Units	Unit Price (In Rs)	Amount (In Rs)
1	Brick work: Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6 (1 cement: 6 coarse sand)	1.35	cum		
2	12 mm cement 12 mm cement plaster of mix: 1:6 (1 cement: 6 fine sand) Suggestable Make: ACC, Ultra tech, Vikarm, Shree Cement, Ambuja, Jaypee Cement, Century Cement & JK Cement, Chettinad Cement Corp. Ltd, India cements Rassi Cement, KCP Cement, Bharathi cement, maha Cement, M/s Sagar Cements Limited, Hyderabad and Cement approved by CE, SZ-VI, CPWD, Vijayawada	19.8	sqm		
3	Finishing walls with Acrylic Smooth exterior paint Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm) Suggestable Make: ICI Dulux, Asian Paints, Berger, Nerolac	19.8	sqm		
4	Centering and shuttering Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform	9	Sqm		
5	Steel reinforcement Steel reinforcement for R.C.C. work, including straightening, cutting, Bending, placing in position, and binding all complete up to plinth level. Suggestable Make: RINL, SAIL, TATA STEEL Ltd., JSW STEEL Ltd., JINDAL STEEL & POWER Ltd, SHYAM STEEL, INDUSTRIES LIMITED.	95.52	Kg		
6	Providing and laying in position Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: (1 cement :1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)	5.46	cum		
7	Providing and fixing precoated Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The	8.8	Sqm		

•	sheet shall be fixed using self-drilling /self-tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				
Sub Total					
GST__%					
Grand Total					

The Firm/Bidder must submit following documents along with Quotation failing which bid shall be treated as UNRESPONSIVE:

1. Certificate of GST Registration.
2. Copy of the tender document and enclosures with Bidder's signature and seal.
3. The Bidder must have a Valid Civil Class-V Registration Certificate issued by a state or Central Government like CPWD/PWD.

Important Instructions:

1. L1 will be identified based on the consolidated quoted price if otherwise not specified in the bid document.
2. The quotation should not contain any handwritten text except the Price quoted.
3. Rates should be clearly quoted against each item.
4. The quotation shall be valid for a minimum period of 90 Days from the closing date of the Bid.
5. The price quoted should be F.O.R. Destination (including Freight, insurance, loading, and unloading at specific location in the premises of NIT Andhra Pradesh).
6. The Bidder shall inscribe the Tender reference number and Tender Subject on the bid envelope submitted to the Institute.
7. Please note that the Director reserves the right to modify or alter the specifications and also to reject any or all the Quotations without assigning any reasons thereto.
8. The Institute is not responsible for delays / loss in postal transit or due to any other reasons in regard to timely receipt of the bid.

Sd/-
Associate Dean, P&D (SMMD)

